

3738

Patent Application

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. of: Stinson, Jonathan S., et al. Art Group: 3738
Serial No.: 10/008,716 Examiner: Thomas Barrett
Filed: November 13, 2001 Atty. Docket: 23,369-134
For: Radiopaque Markers for Implantable Prostheses

TRANSMITTAL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Enclosed for filing please find the following:

1. Supplement to Amendment, consisting of cover (one page), Further Remarks (two pages) and Request (one page); and
2. Return Receipt Post Card.

The Commissioner is authorized to charge any additional fees necessitated by this correspondence to Deposit Account No. 12-0449.

Please direct any questions or comments to Frederick W. Niebuhr at (952) 896-1574.

Respectfully submitted,

Boston Scientific Scimed, Inc.


Dated: May 25, 2005

By: Frederick W. Niebuhr
Frederick W. Niebuhr
Registration No. 27,717
CUSTOMER NO. 23452

CERTIFICATE OF MAILING

Pursuant to 37 CFR 1.8, I hereby certify that this Transmittal, and accompanying items 1-2 identified above, in Application No. 10/008,716 are being deposited with the U.S. Postal Service by first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date of deposit indicated below.

Date of Deposit: May 25, 2005



Handwritten signature of Geralyn M. Vita in black ink, written over a horizontal line.

Geralyn M. Vita

1012374.1



Patent Application

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. of: Stinson, Jonathan S., et al.

Art Group: 3738

Serial No.: 10/008,716

Examiner: Thomas Barrett

Filed: November 13, 2001

Atty. Docket: 23,369-134

For: Radiopaque Markers for Implantable Prostheses

SUPPLEMENT TO AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In reply to the Office Communication mailed April 25, 2005, please add the text on pages 2-3 of this Supplement to the "Remarks" section of the Amendment filed June 14, 2004 in connection with this application.